

# Puzzling out the proton radius puzzle

*Friday, 30 May 2014 11:30 (0:30)*

## Collaboration

A1

## Abstract content

The discrepancy between the proton charge radius extracted from the muonic hydrogen Lamb shift measurement and the best present value obtained from the elastic scattering experiments, remains unexplained and represents a burning problem of today's nuclear physics. After more than 50 years of research the radius of a basic constituent of matter is still not understood. This discrepancy created a great excitement in the physics community, because it rigorously tests the theory of quantum electrodynamics and our understanding of nuclear physics. Since the observation of the discrepancy in 2010, various explanations for the problem have been offered, ranging from trivial experimental mistakes to those that suggest the need for physics beyond the Standard Model. Some of the explanations have already been rejected, while the intriguing ideas, like the introduction of a new mediator particle, still need to be tested. Therefore, several new experiments have been proposed that will provide new constraints to the existing interpretations. High-precision electron scattering experiments are scheduled at the Thomas Jefferson National Accelerator Facility and the Mainz Microtron accelerator at the Johannes Gutenberg University Mainz. As a complement to these measurements, a muon-proton scattering experiment is envisioned at the Paul Scherrer Institute. This will be the first experiment of its kind and will provide information on proton radius from a perspective yet unexplored. Together with the nuclear scattering experiments, new atomic experiments are also foreseen. Very precise measurements of Lamb shift in both hydrogen and deuterium will be performed in order to provide further insight into the proton radius puzzle. In this presentation a summary of the existing proton radius measurements will be presented, followed by an overview of the possible explanations for the observed inconsistency between the hydrogen and the muonic-hydrogen data. In the last part the upcoming experiments, dedicated to remeasuring the proton radius, will be described.

**Primary author(s) :** MIHOVILOVIC, Miha (University of Mainz)

**Presenter(s) :** MIHOVILOVIC, Miha (University of Mainz)

**Session Classification :** Plenary Session